

Mounting frames - TECHNICAL CHARACTERISTICS


Technical specifications

- polycarbonate (Glow Wire 850 °C)
- dielectric strength 2000 V
- 4 elastic fixing points for the snap fixing of the cover plates
- closely compacted rear grid for stiffening
- mounting frames for $\varnothing 60$ mm round mounting boxes: supplied with fixing toothed metal claws
- mounting frames for rectangular mounting boxes: supplied with fixing screws (except for 16722 and 16722.L)


Conformity to Standards

LV Directive
EN 60669-1 Standard


Drilling templates (in mm)




17080
17081




17082




17086
17087




16722
16722.L



16720



16713



16813.Q

Mounting frames

Mounting frame

17080	.B	1-module mounting frame, smooth front, with claws, for ø 60 mm flush or 09971... surface mounting boxes
17081	.B	1-module mounting frame, grooved front, with claws, for ø 60 mm flush or 09971... surface mounting boxes
17082		2-reduced-module mounting frame with claws, for ø 60 mm flush or 09971... surface mounting boxes
17086	.B	1-module mounting frame, smooth front, without screws, for round or square flush mounting boxes with fixing centres 60 mm and 56x56 mm or 09971... surface mounting boxes
17087		2-reduced-module mounting frame, without screws, for round or square flush mounting boxes with fixing centres 60 mm and 56x56 mm or 09971... surface mounting boxes



17080
grey



17080.B
white



17081
grey



17081.B
white



17082
grey



17086
grey



17086.B
white



17087
grey

Mounting frame

16722.L	.B	2-module mounting frame, smooth front, without screws, for 3-module flush mounting boxes, square mounting boxes with fixing centres 60 mm and 56x56 mm or 09975... surface mounting boxes
16722	.B	2-module mounting frame, grooved front, without screws, for 3-module flush mounting boxes, square mounting boxes with fixing centres 60 mm and 56x56 mm or 09975... surface mounting boxes
16720	.B	2-module mounting frame, with screws, lockable door and transparent, replaceable frontal lid in breakable glass (16720.VT) for 3-module flush or 09975... surface mounting boxes. Supplied with 2 keys. On request provided with 000 unified keys (16720.CU and 16720.CU.B). Suitable for installation, in lockable door, of the general emergency control for lifts and elevators installed in civil buildings.
Δ 16720.VT		Frontal lid, breakable glass, spare part for 16720
16713		3-module mounting frame, with screws, for 3-module flush or 09975... surface mounting frames
16713.C		Transparent protective cover for 16713, 16722 and 16722.L
16813.Q	.B	3-module mounting frame, with screws, with IP55 transparent elastic membrane for 3-module flush mounting boxes. IP55 protection degree with cover closed and for installation on smooth walls without grooves, waterproofed by means of tiles, marble or similar materials. Suitable for Idea classica cover plates (not wooden type)



16722.L
grey



16722.L.B
white



16722
grey



16722.B
white



16720.VT



16720
grey



16720.B
white



16713



16713.C




16813.Q
grey




16813.Q.B
white

Mounting frames - TECHNICAL CHARACTERISTICS


Drilling templates (in mm)




16714




16715




16716




16718




16719



16771




16772



16726
16727


Idea device with frame mounted on consumer unit for EN 50022 rail installation



Mounting frames

Mounting frame

16714	4-module mounting frame, with screws, for 4-module flush mounting boxes
16715	5-module mounting frame, with screws, for 5-module flush mounting boxes. Only for 5-module classica cover plate
16716	6-module mounting frame, with screws, for 6/7-module mounting boxes
16718	12-module (6+6) mounting frame, with screws, for V71320 and V71620 flush or 09920... surface mounting boxes
16719	18-module (6+6+6) mounting frame, with screws, for V71321 flush or 09921... surface mounting boxes
16771	1-module mounting frame, with screws, for panel mounting
16772	2-module mounting frame, with screws, for panel mounting (1 over 1)



Mounting frame for EN 50022 rail installation and table mounting

16726	1-module mounting frame for EN 50022 rail installation, occupies 2 17,5 mm modules, RAL 7035 grey
16727	2-module mounting frame for EN 50022 rail installation, occupies 3,5 17,5 mm modules, RAL 7035 grey
16803	.B Table mounting frame with cord-grip, for 3-module Idea installation. Only for Idea classica cover plate.
16806	.B Table mounting frame with cord-grip, for 6-module Idea installation. Only for Idea classica cover plate.



Flush mounting

For masonry walls - ø 60 mm and 56x56 mm mounting boxes



V71001
GW 650 °C,
light blue
V71001.AU
GW 960 °C, black




17080
1-module, with
claws, smooth
front, grey
17080.B
As above,
white



17081
1-module, with
claws, grooved
front, grey
17081.B
As above,
white




17082
2-reduced-module,
with claws



Classica cover plate
17092... Die-cast metal
Natural wood
17097... Technopolymer
17097.D... SILK

Dimensions:
88x80x9 mm



Rondò cover plate
17093... Die-cast metal
Natural wood
17098... Technopolymer
17098.D... SILK

Dimensions:
91x80x9 mm

For hollow walls - round and 56x56 mm mounting boxes




V71601
With screws for
mounting frame fixing
GW 850 °C, light blue



17086
1-module, without
screws, smooth
front, grey
17086.B
As above, white




17087
2-reduced-module,
without screws



Classica cover plate
17092... Die-cast metal
Natural wood
17097... Technopolymer
17097.D... SILK

Dimensions:
88x80x9 mm



Rondò cover plate
17093... Die-cast metal
Natural wood
17098... Technopolymer
17098.D... SILK

Dimensions:
91x80x9 mm

For masonry and hollow walls - 3-module



V71303
GW 650 °C,
light blue
V71303.AU
GW 960 °C,
black



V71613
GW 850 °C,
light blue



16722/16722.L
2-module,
without screws,
smooth/grooved front,
grey
16722.B
16722.L.B
As above, white




16720
2-module,
with screws,
lockable door,
grey
16720.B
As above,
white



16713
3-module,
with screws




16813.Q
3-module, with
screws,
IP55, grey
(not for wooden
cover plate)
16813.Q.B
As above,
white



Classica cover plate
16733... Die-cast metal
Natural wood²
16743... Technopolymer
16743.D... SILK

Dimensions:
120x82x9 mm



Rondò cover plate
16753... Die-cast metal
Natural wood
16763... Technopolymer
16763.D... SILK

Dimensions:
123x82x9 mm

For masonry and hollow walls - 4-module




V71304
GW 650 °C,
light blue
V71304.AU
GW 960 °C, black



V71614
GW 850 °C, light
blue




16714
4-module,
with screws



Classica cover plate
16734... Die-cast metal
Natural wood
16744... Technopolymer
16744.D... SILK

Dimensions:
145x82x9 mm



Rondò cover plate
16754... Die-cast metal
Natural wood
16764... Technopolymer
16764.D... SILK

Dimensions:
148x82x9 mm

Flush mounting


For masonry - 5-module



V71305
GW 650 °C,
light blue
V71305.AU
GW 960 °C, black




16715
5-module,
with screws



Classica cover plate
16745... Technopolymer
16745.D... SILK

Dimensions:
170x82x9 mm



Rondò cover plate
16765... Technopolymer
16765.D... SILK

Dimensions:
173x82x9 mm

For masonry and hollow walls - 6-module




V71306
GW 650 °C,
light blue
V71306.AU
GW 960 °C,
black



V71616
GW 850 °C,
light blue



16716
6-module,
with screws



Classica cover plate
16736... Die-cast metal
Natural wood
16746... Technopolymer
16746.D... SILK

Dimensions:
195x82x9 mm



Rondò cover plate
16756... Die-cast metal
Natural wood
16766... Technopolymer
16766.D... SILK

Dimensions:
198x82x9 mm

For masonry and hollow walls - 12-module




V71320
GW 650 °C, light blue



V71620
GW 650 °C, light blue



16718
12-module, with screws,
grey



Classica cover plate
16748... Technopolymer,
with signalling tags
Available colours: bright white (01),
Idea white (04), Idea grey (14),
black (16), metallized anthracite (V23).
Dimensions: 206x150x11 mm


For masonry - 18-module



V71321
GW 650 °C, light blue



16719
18-module, with screws,
grey



Classica cover plate
16749... Technopolymer,
with signalling tags
Available colours: bright white (01),
Idea white (04), Idea grey (14),
black (16), metallized anthracite (V23).
Dimensions: 206x222x11 mm

Surface mounting

Surface mounting - 1-module or 2-reduced module



09971.A
43,5 mm deep,
RAL 9001 ivory
09971.01
As above, white



17080
1-module, with
claws, smooth
front, grey
17080.B
As above,
white



17081
1-module, with
claws, grooved
front, grey
17081.B
As above,
white




17082
2-reduced-module,
with claws



17086
1-module, without
screws, smooth
front, grey
17086.B
As above, white



17087
2-reduced-module,
without screws



Classica cover plate
17092... Die-cast metal
Natural wood
17097... Technopolymer
17097.D... SILK

Dimensions:
88x80x9 mm

Surface mounting - 3-module



09975.A
43,5 mm deep,
RAL 9001 ivory
09975.01
As above, white



09976.04
30 mm deep
idea white
09976.14
As above,
grey Idea




16722/16722.L
2-module,
without screws,
smooth/grooved front,
grey
16722.B
16722.L.B
As above, white



16720¹
2-module,
with screws,
lockable door,
grey
16720.B¹
As above,
white



16713
3-module,
with screws



Classica cover plate
16733... Die-cast metal
Natural wood²
16743... Technopolymer
16743.D... SILK

Dimensions:
120x82x9 mm


Surface mounting - 12-module



09920.04
Idea white
09920.14
Idea grey



16718
12-module, with screws,
grey



Classica cover plate
16748... Technopolymer,
with signalling tags
Available colours: bright white (01),
Idea white (04), Idea grey (14),
black (16), metallized anthracite (V23).
Dimensions: 206x150x11 mm


Surface mounting - 18-module



09921.04
Idea white
09921.14
Idea grey



16719
18-module, with screws,
grey



Classica cover plate
16749... Technopolymer,
with signalling tags
Available colours: bright white (01),
Idea white (04), Idea grey (14),
black (16), metallized anthracite (V23).
Dimensions: 206x222x11 mm

Panel and table mounting

For panel mounting



16776.AU
GW 960 °C



16771
1-module



Classica cover plate
16781... Die-cast metal¹
16786... Technopolymer²

Dimensions:
40x80x9 mm



Rondò cover plate
16783... Die cast metal¹

Dimensions:
41x85x9 mm



16776.AU
x 2



16772
2-module




Classica cover plate
16782... Die-cast metal¹
16787... Technopolymer²

Dimensions:
40x136x9 mm



Rondò cover plate
16784... Die cast metal¹

Dimensions:
41x141x9 mm




¹) Die-cast metal: White (01), metallized anthracite (23), gold (32), brushed nickel (34)

²) Technopolymer: bright white (01), Idea white (04) graphite grey (15), black (16)

For table mounting



16803
3-module
16803.B
As above, white




Classica cover plate
16733... Die-cast metal
Natural wood²
16743... Technopolymer
16743.D... SILK

Dimensions:
120x82x9 mm



16806
6-module
16806.B
As above, white



Classica cover plate
16736... Die-cast metal
Natural wood
16746... Technopolymer
16746.D... SILK

Dimensions:
195x82x9 mm

Accessories



V71551
Horizontal dividing screen for:
V71320, V71620, V71321, 09920..., 09921..., yellow



V71550
Dividing screen for: V71303..., V71304...,
V71305..., V71306..., yellow



V71562
Joint plate for flush
mounting boxes
V71303..., V71304...,
V71305..., V71306...,
yellow



V70191
Joint plate for:
V71320, V71620 and
V71321, yellow