



Datasheet

Azimuth control lever – part no LF70L-01-182 (Rev. A)

This control lever is one of several models developed and manufactured by **Lilaas AS**.


It has been tested according to our final test and final control procedures.

Specification details

Enclosure	IP66
Materials	Steel A2, Al, POM
Finish	Alodine, powder coating
Appr. weight	2080g
RPM movement, handle / electrical	$\pm 60^\circ / 245^\circ$
Azimuth movement, handle / electrical	$360^\circ / 360^\circ$
Product certified by	DNV-GL


Spare parts

Handle right assy	LF13378
RPM, scale / potentiometer	LF11047 / 102184 (2x5K 350°)
Azimuth, scale / potentiometer	LF11048 / 101239 (2x5K)
Pointer foil	LF11450
Contact / Plug	102688 / 102689




Wiring


PLUG P1
PLUG MC 1,5/16-STF-3,81




PLUG P2
PLUG MC 1,5/16-STF-3,81



CONTACT MCVU 1,5/16-GDF-3,81



Adjustments, Lilaas LF70 azimuth control levers, standard design.
Handle and other details may vary from this principle drawing.



Lilaas AS, Kongeveien 75, P.O. Box 705, N-3196 Horten, Norway. Tel: +47 41 63 30 00

E-mail : sales@lilaas.no

service@lilaas.no

www.lilaas.no